

PLATEN IN ROESTVAST STAAL

EN 1.4301 - AISI 304 koudgewalst 2B

| A xBxe (mm) | kg/m |
|--------------------|------|
| 2000 x 1000 x 0,5 | 8,0 |
| 2000 x 1000 x 0,6 | 9,6 |
| 2000 x 1000 x 0,8 | 12,8 |
| 2500 x 1250 x 0,8 | 20,0 |
| 3000 x 1500 x 0,8 | 28,8 |
| 2000 x 1000 x 1 | 16,0 |
| 2500 x 1250 x 1 | 25,0 |
| 3000 x 1250 x 1 | 30,0 |
| 3000 x 1500 x 1 | 36,0 |
| 2000 x 1000 x 1,25 | 20,0 |
| 2500 x 1250 x 1,25 | 31,3 |
| 3000 x 1500 x 1,25 | 45,0 |
| 2000 x 1000 x 1,5 | 24,0 |
| 2500 x 1250 x 1,5 | 37,5 |
| 3000 x 1250 x 1,5 | 45,0 |
| 3000 x 1500 x 1,5 | 54 |

| A xBxe (mm) | kg/m |
|-------------------|------|
| 4000 x 1500 x 1,5 | 72 |
| 2000 x 1000 x 2 | 32,0 |
| 2500 x 1250 x 2 | 50 |
| 3000 x 1250 x 2 | 60 |
| 3000 x 1500 x 2 | 72 |
| 4000 x 1500 x 2 | 96 |
| 2000 x 1000 x 2,5 | 40,0 |
| 2500 x 1250 x 2,5 | 63 |
| 3000 x 1500 x 2,5 | 90 |
| 2000 x 1000 x 3 | 48,0 |
| 2500 x 1250 x 3 | 75 |
| 3000 x 1500 x 3 | 108 |
| 2000 x 1000 x 4 | 64 |
| 2500 x 1250 x 4 | 100 |
| 3000 x 1500 x 4 | 144 |

PLATEN IN ROESTVAST STAAL

EN 1.4301 - AISI 304 warmgewalst

| A xBxe (mm) | kg/m |
|--------------------|-------------|
| WG 2000x1000x3 | 48 |
| WG 2500x1250x3 | 75 |
| WG 3000x1500x3 | 108 |
| WG 2000x1000x5 | 80 |
| WG 2500x1250x5 | 125 |
| WG 3000x1500x5 | 180 |
| WG 2000x1000x6 | 96 |
| WG 2500x1250x6 | 150 |

| A xBxe (mm) | kg/m |
|--------------------|-------------|
| WG 3000x1500x6 | 216 |
| WG 2000x1000x8 | 128 |
| WG 2500x1250x8 | 200 |
| WG 3000x1500x8 | 288 |
| WG 2000x1000x10 | 160 |
| WG 2500x1250x10 | 250 |
| WG 3000x1500x10 | 360 |
| WG 2000x1000x12 | 192 |

PLATEN IN ROESTVAST STAAL

EN 1.4301 - AISI 304

koudgewalst 2B - geslepen K320 + PVC

| A xBxe (mm) | kg/m |
|--------------------|-------------|
| 2000 x 1000 x 0,8 | 12,8 |
| 2000 x 1000 x 1 | 16,0 |
| 2500 x 1250 x 1 | 25,0 |
| 2000 x 1000 x 1,5 | 24,0 |
| 2500 x 1250 x 1,5 | 37,5 |
| 3000 x 1500 x 1,5 | 54 |
| 3000 x 1500 x 1,5 | 54 |

| A xBxe (mm) | kg/m |
|--------------------|-------------|
| 2000 x 1000 x 2 | 32,0 |
| 2500 x 1250 x 2 | 50 |
| 3000 x 1500 x 2 | 72 |
| 2000 x 1000 x 3 | 48 |
| 2500 x 1250 x 3 | 75 |
| 3000 x 1500 x 3 | 108 |

PLATEN IN ROESTVAST STAAL

EN 1.4301 - AISI 304

koudgewalst 2B - geslepen K320 + PVC

| A xBxe (mm) | kg/m |
|--------------------|------|
| 2000 x 1000 x 0,8 | 12,8 |
| 2500 x 1250 x 0,8 | 20,0 |
| 3000 x 1500 x 0,8 | 28,8 |
| 2000 x 1000 x 1 | 16,0 |
| 2500 x 1250 x 1 | 25,0 |
| 3000 x 1250 x 1 | 30,0 |
| 3000 x 1500 x 1 | 36,0 |
| 2500 x 1250 x 1,25 | 31,3 |
| 3000 x 1500 x 1,25 | 45,0 |
| 2000 x 1000 x 1,5 | 24,0 |

| A xBxe (mm) | kg/m |
|-------------------|------|
| 2500 x 1250 x 1,5 | 37,5 |
| 3000 x 1250 x 1,5 | 45,0 |
| 3000 x 1500 x 1,5 | 54 |
| 2000 x 1000 x 2 | 32,0 |
| 2500 x 1250 x 2 | 50 |
| 3000 x 1250 x 2 | 60 |
| 3000 x 1500 x 2 | 72 |
| 2000 x 1000 x 3 | 48 |
| 2500 x 1250 x 3 | 75 |
| 3000 x 1500 x 3 | 108 |

PLATEN IN ROESTVAST STAAL

EN 1.4301 - AISI 304

koudgewalst 2B - spiegelglans BA + PVC

| A xBxe (mm) | kg/m |
|----------------------|------|
| BA 2000 x 1000 x 0,4 | 6,4 |
| BA 2000 x 1000 x 0,8 | 12,8 |

| A xBxe (mm) | kg/m |
|----------------------|------|
| BA 3000 x 1250 x 0,8 | 24,0 |
| BA 2000 x 1000 x 1 | 16,0 |

PLATEN IN ROESTVAST STAAL

EN 1.4404 - AISI 316L koudgewalst 2B

| A xBxe (mm) | kg/m |
|--------------------|-------------|
| 2000 x 1000 x 0,5 | 8,0 |
| 2000 x 1000 x 0,8 | 12,8 |
| 2000 x 1000 x 1 | 16,0 |
| 2500 x 1250 x 1 | 25,0 |
| 3000 x 1500 x 1 | 36,0 |
| 2000 x 1000 x 1,5 | 24,0 |
| 2500 x 1250 x 1,5 | 37,5 |

| A xBxe (mm) | kg/m |
|--------------------|-------------|
| 3000 x 1500 x 1,5 | 54,0 |
| 2000 x 1000 x 2 | 32,0 |
| 2500 x 1250 x 2 | 50,0 |
| 3000 x 1500 x 2 | 72,0 |
| 2000 x 1000 x 3 | 48,0 |
| 2500 x 1250 x 3 | 75,0 |
| 3000 x 1500 x 3 | 108,0 |

PLATEN IN ROESTVAST STAAL

EN 1.4404 - AISI 316L warmgewalst 2B

| A xBxe (mm) | kg/m |
|--------------------|-------------|
| WG 2000 x 1000 x 4 | 64 |
| WG 2500 x 1250 x 4 | 100 |
| WG 3000 x 1500 x 4 | 144 |
| WG 2000 x 1000 x 5 | 80 |

| A xBxe (mm) | kg/m |
|--------------------|-------------|
| WG 2500 x 1250 x 5 | 125 |
| WG 3000 x 1500 x 5 | 180 |
| WG 3000 x 1500 x 6 | 216 |
| | |

PLATEN IN ROESTVAST STAAL

EN 1.4301 - AISI 304

tranenplaat, warmgewalst, gegloeid, gebeitst

| A xBxe (mm) | kg/m |
|---------------------|------|
| 2000 x 1000 x 3/4,5 | 53 |
| 2500 x 1250 x 3/4,5 | 83 |
| 3000 x 1000 x 3/4,5 | 79 |
| 3000 x 1250 x 3/4,5 | 99 |
| 2000 x 1000 x 4/5,5 | 70 |
| 2500 x 1250 x 4/5,5 | 110 |
| 2000 x 1000 x 4,5/6 | 79 |

| A xBxe (mm) | kg/m |
|---------------------|------|
| 2500 x 1250 x 4,5/6 | 124 |
| 3000 x 1000 x 4,5/6 | 119 |
| 3000 x 1250 x 4,5/6 | 149 |
| 2000 x 1000 x 6/8 | 106 |
| 2500 x 1250 x 6/8 | 165 |
| 3000 x 1250 x 6/8 | 198 |

PLATEN IN ROESTVAST STAAL

EN 1.4301 - AISI 304

| A x B x e (mm) | geperforeerd | steek |
|---------------------------|--|-------|
| Nr 34 - 2000 x 1000 x 1 | dia 15 | 20 |
| Nr 25 - 2000 x 1000 x 0,8 | dia 2 | 3,5 |
| Nr 26 - 2000 x 1000 x 0,8 | dia 3 | 5 |
| Nr 27 - 2000 x 1000 x 0,8 | dia 5 | 8 |
| Nr 28 - 2000 x 1000 x 0,8 | 5 x 5 | 8,5 |
| Nr 29 - 2000 x 1000 x 1 | 5 x 5 | 8 |
| Nr 30 - 2000 x 1000 x 1 | dia 5 | 8 |
| Nr 31 - 2000 x 1000 x 1,5 | dia 5 | 8 |
| Nr 32 - 2000 x 1000 x 2 | dia 8 | 12 |
| Nr 33 - 2000 x 1000 x 2 | 10 x 10 | 14 |
| Nr 34 - 2000 x 1000 x 1 | dia 15 | 20 |
| | | |
| PELOX | beitspasta bussen van 2 kg | |
| Pelox Plus 3000 | Art.nr. prod. 04-7514305 12 x 0,5 ltr | |
| Vlekkenreiniger FR-DS | Art.nr. prod. 04-125203 12 x 0,5 ltr | |
| RVS Glans Clean | Art.nr. prod. 10409 1 x 12 bussen | |